



THE CUSTOM MAT CO.

Your Brand in Luxury Carpet

The Weatherking Series

All-Weather Performance

Non-Skid, UV-Stable, and Pressure Washable

When absolute durability is key, the perfect product option is Weatherking. Weatherking is a 1/2", 78 total oz. indoor or outdoor carpet that is both extremely durable and soft to the touch. Our custom logo all-weather mats are made with the highest quality solution-dyed polypropylene Berber you can find and 100% made in the USA. Perfect for corporate branding, trade shows, or to make your vehicle stand out from the crowd.



Precision Cut, Hand Inlaid

Precision cut using CNC technology, inlaid and finished by hand. This level of craftsmanship is unmatched - it's what makes our mats truly one-of-a-kind.



Completely Custom, Limitless Options

Designs, colors, complexity - we can do it. Our obsession with details delivers unparalleled results, no matter the size, specs, or intricacies.




Your Brand, Our Promise

When you trust us with your brand, we are committed to your complete satisfaction. We color match to the highest-level and never cut corners.



The Process



Each Weatherking mat starts with sourcing the highest quality raw materials available to the market. Our in-house design team works side-by-side with clients to take their unique ideas from conception to reality. Never dyed or embroidered, a skilled craftsman prepares each color of the design to be perfectly cut using our state of the art CNC machines. For added definition, each piece is hand-trimmed and inspected. These pieces are then inset like a puzzle, reinforced, and fused with industrial hot melt. A final layer of rubber backing is added to offer additional skid-resistance. This labor-intensive process ensures superior quality and longevity unrivaled in today's custom mat industry.

Brands We've Worked With



ARROW McLAREN SP



Applications



Automotive



Marine



Aviation



Military Installations



Corporate Office



Events



Motorsports



Trade Shows



Home




Sports Facilities



Educational Institutes



Garages



Color-fast, solution-dyed, ASOTA polypropylene fiber

Needle-punched core for rugged structural integrity

Premium composite rubber

Product Specifications

| PRODUCT DESCRIPTION | STANDARDS/NORMS | DATA |
|-----------------------|----------------------|---|
| Colors | | 39 Total |
| Fiber | CEE 83/623 | 100% Solution-dyed UV stabilized ASOTA™ polypropylene |
| Primary Backing | ISO 2424 | Premium Composite Rubber |
| PRODUCT DIMENSIONS | | |
| Pile Height (± 0.5mm) | ISO 1765 | 0.25" |
| Total Height (± 7.5%) | ISO 1766 | 0.47" |
| Pile Weight (± 7.5%) | ISO 8543 | 54 oz/sy |
| Total Weight (± 7.5%) | ISO 8543 | 78 oz/sy |
| Custom | | Special sizes, finished and logo mats |
| COLOR FASTNESS | | |
| To Light | ISO 105 B02 | 5 |
| To Water | ISO 105 E01 | 5 |
| To Shampoo | ISO 105 C06 | 4-5 |
| To Rubbing | ISO 105 X12 | 4 (Dry), 3-4 (Wet) |
| FLAMMABILITY RATINGS | | |
| Smoke Density | ASTM E662 | Pass |
| Surface Flammability | FF 1-70 / ASTM D2859 | Pass |